ELSEVIER

Journal of Computational and Applied Mathematics 50 (1994) 633–652

JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS

Master Index to Volumes 41–50

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abd-el-Malek, M.B., Flow in a waterfall with large Froude number — **50** (1994) 87–98

Achuthan, P. and **S. Ponnuswamy**, Padé approximants and Eisenstein–Ramanujan continued fraction — **41** (3) (1992) 247–264

Addis, D.F., see **Oberle, M.K.** — **45** (3) (1993) 367–369

Alfaro, M., see **Marcellán, F.** — **48** (1–2) (1993) 113–131

Al-Rabeh, A., Towards a general integration algorithm for time-dependent one-dimensional systems of parabolic partial differential equations using the method of lines — **42** (2) (1992) 187–198

Ammar, G.S., W.B. Gragg and **L. Reichel**, An analogue for Szegő polynomials of the Clenshaw algorithm — **46** (1–2) (1993) 211–216

Anderson, O.D. and **J.G. De Gooijer**, Discriminating between nonstationary and nearly nonstationary time series models: A simulation study — **41** (3) (1992) 265–280

Andreev, A.B., V.A. Kascieva and **M. Vanmaele**, Some results in lumped mass finite-element approximation of eigenvalue problems using numerical quadrature formulas — **43** (3) (1992) 291–311

Andres, J., Asymptotic properties of solutions to quasi-linear differential systems — **41** (1–2) (1992) 57– 64

Apostolopoulos, T. and **G. Dassios**, A parallel algorithm for solving the inverse scattering moment problem — **42** (1) (1992) 63– 77

Arge, E., M. Dæhlen and **A. Tveito**, Box spline interpolation; a computational study — **44** (3) (1992) 303–329

Argyros, I.K., On the convergence of generalized Newton methods and implicit functions — **43** (3) (1992) 335–342

Ascher, U.M. and **L.R. Petzold**, Projected collocation for higher-order higher-index differential-algebraic equations — **43** (1–2) (1992) 243–259

Askey, R., Problems which interest and/or annoy me — **48** (1–2) (1993) 3– 15

Atanassova, L., On the simultaneous determination of the zeros of an analytic function inside a simple smooth closed contour in the complex plane — **50** (1994) 99–107

Auzinger, W., R. Frank and **G. Kirlinger**, Modern convergence theory for stiff initial-value problems — **45** (1–2) (1993) 5– 16

Elsevier Science B.V.

Bainov, D.D., see **Mishev, D.P.** **42** (2) (1992) 215–220

Baker Jr, G.A. and **P.R. Graves-Morris,** Determinants and the structure of the integral approximant table **47** (1) (1993) 67– 81

Baker Jr, G.A. and **P.R. Graves-Morris,** Results on sequences of Hermite–Padé, integral approximants **47** (2) (1993) 241–252

Baltus, C., Truncation error bounds for the composition of limit-periodic linear fractional transformations **46** (3) (1993) 395–404

Baratchart, L. and **M. Zerner,** On the recovery of functions from pointwise boundary values in a Hardy–Sobolev class of the disk **46** (1–2) (1993) 255–269

Barlow, R.E. and **F. Spizzichino,** Schur-concave survival functions and survival analysis **46** (3) (1993) 437–447

Barnard, R.W., K. Pearce and **R.S. Varga,** An application from partial sums of e^z to a problem in several complex variables **46** (1–2) (1993) 271–279

Bavinck, H., G. Hooghiemstra and **E. De Waard,** An application of Gegenbauer polynomials in queueing theory **49** (1993) 1– 10

Beck, Th., Automatic differentiation of iterative processes **50** (1994) 109–118

Beck, Th. and **H. Fischer,** The if-problem in automatic differentiation **50** (1994) 119–131

Bellen, A., Z. Jackiewicz and **M. Zennaro,** Time-point relaxation Runge–Kutta methods for ordinary differential equations **45** (1–2) (1993) 121–137

Belmehdi, S., On Appell–Laguerre polynomials **49** (1993) 11– 17

Bennett, G.K., see **Melloy, B.J.** **46** (3) (1993) 405–413

Berg, L., The asymptotic expansion of a convolution integral **41** (1–2) (1992) 159–161

Berg, L., On the discretization of generalized Riccati differential equations with constant coefficients **47** (3) (1993) 277–283

Bernadou, M., $\mathscr{C}^1$-curved finite elements and applications to plate and shell problems **50** (1994) 133–144

Bernardi, C. and **Y. Maday,** Polynomial interpolation results in Sobolev spaces **43** (1–2) (1992) 53– 80

Berrut, J.-P., A formula for optimal integration in H^2 **46** (1–2) (1993) 199–210

Berthold, D., On the stability of the classical collocation method for Cauchy-type singular integral equations **43** (1–2) (1992) 171–184

Berthold, D., W. Hoppe and **B. Silbermann,** A fast algorithm for solving the generalized airfoil equation **43** (1–2) (1992) 185–219

Bertram, B. and **O. Ruehr,** Product integration for finite-part singular integral equations: numerical asymptotics and convergence acceleration **41** (1–2) (1992) 163–173

Bervoets, A.F., see **Van Veldhuizen, M.** **47** (1) (1993) 61– 66

Bessis, D. and **G. Mantica,** Orthogonal polynomials associated to almost periodic Schrödinger operators. A trend towards random orthogonal polynomials **48** (1–2) (1993) 17– 32

Bhatta, S.K. and **K.S. Sastri,** Symmetric spline procedures for boundary value problems with mixed boundary conditions **45** (3) (1993) 237–250

Bialecki, B. and **G. Fairweather,** Matrix decomposition algorithms for separable elliptic boundary value problems in two space dimensions **46** (3) (1993) 369–386
Bird, J.F., see **Stoyanov, B.J.** **50** (1994) 533–543
Bocher, P., H. De Meyer and **G. Vanden Berghe,** On Gregory- and modified Gregory-type corrections to Newton–Cotes quadrature **50** (1994) 145–158
Booth, A.S., see **Coleman, J.P.** **44** (1) (1992) 95–114
Borwein, J.M. and **P.B. Borwein,** Class number three Ramanujan type series for $1/\pi$ **46** (1–2) (1993) 281–290
Borwein, P.B., see **Borwein, J.M.** **46** (1–2) (1993) 281–290
Boumenir, A., see **El-Gebeily, M.A.** **46** (3) (1993) 345–355
Boutayeb, A., see **Djidjeli, K.** **47** (1) (1993) 35– 45
Branders, M., see **Piessens, R.** **43** (1–2) (1992) 159–169
Branquinho, A., see **Marcellán, F.** **49** (1993) 153–160
Brauchli, H., see **Haas, R.** **44** (2) (1992) 167–185
Brezinski, C. and **A.C. Matos,** Least-squares orthogonal polynomials **46** (1–2) (1993) 229–239
Brown, B.M., W.D. Evans and **L.L. Littlejohn,** Orthogonal polynomials and extensions of Copson's inequality **48** (1–2) (1993) 33– 48
Buhmann, M.D. and **A. Iserles,** On orthogonal polynomials transformed by the QR algorithm **43** (1–2) (1992) 117–134
Bultheel, A., P. González-Vera, E. Hendriksen and **O. Njåstad,** Moment problems and orthogonal functions **48** (1–2) (1993) 49– 68
Bultheel, A., E. Hendriksen, P. González-Vera and **O. Njåstad,** Quadrature formulas on the unit circle based on rational functions **50** (1994) 159–170
Bultheel, A., see **Van Barel, M.** **50** (1994) 545–563
Bultheel, A., see **Van Melkebeek, D.** **49** (1993) 305–315
Burrage, K., Efficient block predictor-corrector methods with a small number of corrections **45** (1–2) (1993) 139–150
Burrage, K. and **R.P.K. Chan,** On smoothing and order reduction effects for implicit Runge–Kutta formulae **45** (1–2) (1993) 17– 27
Bustamante, J. and **G. López Lagomasino,** Rate of convergence of Hermite–Padé approximants to a Nikishin-type system of analytic functions **49** (1993) 19– 25
Butcher, J.C., The role of orthogonal polynomials in numerical ordinary differential equations **43** (1–2) (1992) 231–242
Butcher, J.C. and **P.B. Johnston,** Estimating local truncation errors for Runge–Kutta methods **45** (1–2) (1993) 203–212
Butt, R., Optimum design with finite elements: design of electrochemical machining **47** (2) (1993) 151–165
Büttgenbach, B., H. Esser, G. Lüttgens and **R.J. Nessel,** A sharp error estimate for the numerical solution of a Dirichlet problem for the Poisson equation **44** (3) (1992) 331–337

Cahlon, B., I.E. Schochetman and **M. Shillor,** Convective cooling and optimal placement of electronic components with variable ambient temperature I. The linear model — **47** (3) (1993) 351–367
Calvo, M., J.I. Montijano and **L. Rández,** A_0-stability of variable stepsize BDF methods — **45** (1–2) (1993) 29– 39
Cariño, R., I. Robinson and **E. De Doncker,** Adaptive cubature over a collection of triangles using the *d*-transformation — **50** (1994) 171–183
Carroll, J., A composite integration scheme for the numerical solution of systems of parabolic PDEs in one space dimension — **46** (3) (1993) 327–343
Carstensen, C. and **M.S. Petković,** On iteration methods without derivatives for the simultaneous determination of polynomial zeros — **45** (3) (1993) 251–266
Cash, J.R. and **S. Semnani,** A new approach to solving nonstiff initial-value problems — **45** (1–2) (1993) 41– 46
Cash, J.R. and **H.H.M. Silva,** On the numerical solution of a class of singular two-point boundary value problems — **45** (1–2) (1993) 91–102
Caudill Jr, L.F. and **B.D. Lowe,** On the construction of a potential from Cauchy data — **47** (3) (1993) 323–333
Chan, R.P.K., see **Burrage, K.** — **45** (1–2) (1993) 17– 27
Chandler-Wilde, S.N., see **Hough, D.M.** — **46** (1–2) (1993) 29– 48
Cheney, M., see **Somersalo, E.** — **42** (1) (1992) 123–136
Chin, P. and **P.A. Forsyth,** A comparison of GMRES and CGSTAB accelerations for incompressible Navier–Stokes problems — **46** (3) (1993) 415–426
Choudhury, S.R., Waveform relaxation techniques for linear and nonlinear diffusion equations — **42** (2) (1992) 253–267
Choudury, G. and **P. Korman,** On computation of solutions of fully nonlinear elliptic problems — **41** (3) (1992) 301–311
Chronopoulos, A.T., see **Kim, S.K.** — **42** (3) (1992) 357–374
Coleman, J.P. and **A.S. Booth,** Analysis of a family of Chebyshev methods for $y'' = f(x, y)$ — **44** (1) (1992) 95–114
Colton, D. and **P. Monk,** A comparison of two methods for solving the inverse scattering problem for acoustic waves in an inhomogeneous medium — **42** (1) (1992) 5– 16
Cools, R. and **P. Rabinowitz,** Monomial cubature rules since "Stroud": a compilation — **48** (3) (1993) 309–326
Cools, R., see **Verschelde, J.** — **50** (1994) 575–592
Cooper, G.J. and **R. Vignesvaran,** Some schemes for the implementation of implicit Runge–Kutta methods — **45** (1–2) (1993) 213–225
Crisci, M.R., E. Russo, P.J. van der Houwen and **A. Vecchio,** Stability of parallel Volterra–Runge–Kutta methods — **45** (1–2) (1993) 169–180
Criscuolo, G., Lagrange interpolation with constraints — **50** (1994) 185–196
Cuyt, A., Extension of "A multivariate convergence theorem of the "de Montessus de Ballore" type" to multipoles — **41** (3) (1992) 323–330

Dæhlen, M., see **Arge, E.** **44** (3) (1992) 303–329
Dassios, G., see **Apostolopoulos, T.** **42** (1) (1992) 63– 77
De Bruin, M.G., A tool for locating zeros of orthogonal polynomials in Sobolev inner product spaces **49** (1993) 27– 35
De Bruin, M.G., K.A. Driver and **D.S. Lubinsky**, Convergence of simultaneous Hermite–Padé approximants to the n-tuple of q-hypergeometric series $\{{}_2\Phi_0((A, \alpha_j), (1, 1); z)\}_{j=1}^{n}$ **49** (1993) 37– 43
De Doncker, E., see **Cariño, R.** **50** (1994) 171–183
De Gooijer, J.G., see **Anderson, O.D.** **41** (3) (1992) 265–280
Dehesa, J.S., A. Zarzo, R.J. Yañez, B. Germano and **P.E. Ricci**, Orthogonal polynomials and differential equations in neutron-transport and radiative-transfer theories **50** (1994) 197–206
Dehesa, J.S., see **Zarzo, A.** **50** (1994) 613–623
Dehn, T., A shortcut to asymptotics for orthogonal polynomials **50** (1994) 207–219
Dekker, T.J., W. Hoffmann and **K. Potma**, Parallel algorithms for solving large linear systems **50** (1994) 221–232
DeLillo, T.K. and **A.R. Elcrat**, A Fornberg-like conformal mapping method for slender regions **46**(1–2) (1993) 49– 64
DeLillo, T.K. and **J.A. Pfaltzgraff**, Extremal distance, harmonic measure and numerical conformal mapping **46**(1–2) (1993) 103–113
Della Vecchia, B., G. Mastroianni and **P. Vértesi**, Simultaneous approximation by Hermite interpolation of higher order **50** (1994) 233–240
De Meyer, H., see **Bocher, P.** **50** (1994) 145–158
De Meyer, H., see **Vanden Berghe, G.** **41** (3) (1992) 359–372
De Michele, L., M. Di Natale and **D. Roux**, Féjer kernels and noisy Fourier series **49** (1993) 45– 50
De Oliveira, P., see **Ferreira, J.A.** **45** (3) (1993) 321–330
Désidéri, J.-A., see **Hemker, P.W.** **45** (3) (1993) 357–365
De Waard, E., see **Bavinck, H.** **49** (1993) 1– 10
Diaconis, P. and **R. Graham**, An affine walk on the hypercube **41**(1–2) (1992) 215–235
Dick, E. and **K. Riemslagh**, Multi-staging of Jacobi relaxation to improve smoothing properties of multigrid methods for steady Euler equations **50** (1994) 241–254
Dieci, L., On the decoupling of dichotomic linear Hamiltonians. Considerations on integrating symmetric differential Riccati equations **45**(1–2) (1993) 47– 63
Dimov, I.T. and **O.I. Tonev**, Monte Carlo algorithms: performance analysis for some computer architectures **48** (3) (1993) 253–277
Di Natale, M., see **De Michele, L.** **49** (1993) 45– 50
Djidjeli, K., E.H. Twizell and **A. Boutayeb**, Numerical methods for special nonlinear boundary-value problems of order $2m$ **47** (1) (1993) 35– 45
Driver, K.A., see **De Bruin, M.G.** **49** (1993) 37– 43
Drozdowicz, A. and **J. Popenda**, Asymptotic behavior of solutions of difference equations of second order **47** (2) (1993) 141–149

Druskin, V. and **L. Knizhnerman,** The Lanczos optimization of a splitting-up method to solve homogeneous evolutionary equations **42** (2) (1992) 221–231
Druskin, V. and **L. Knizhnerman,** On application of the Lanczos method to solution of some partial differential equations **50** (1994) 255–262

Ehrenmark, U., On computing uniformly valid approximations for viscous waves on a plane beach **50** (1994) 263–281
Eichenauer-Herrmann, J., A remark on the discrepancy of quadratic congruential pseudorandom numbers **43** (3) (1992) 383–387
Eirola, T., Aspects of backward error analysis of numerical ODEs **45** (1-2) (1993) 65– 73
Eissa, M.H., see **El-Serafi, S.A.** **47** (2) (1993) 219–239
Elbert, Á., Asymptotic behaviour of the analytic solution of the differential equation $y'(t)+y(qt)=0$ as $q\to 1^-$ **41** (1-2) (1992) 5– 22
Elcrat, A.R., see **DeLillo, T.K.** **46** (1-2) (1993) 49– 64
El-Gebeily, M.A., A. Boumenir and **M.B.M. Elgindi,** Existence and uniqueness of solutions of a class of two-point singular nonlinear boundary value problems **46** (3) (1993) 345–355
Elgindi, M.B.M., see **El-Gebeily, M.A.** **46** (3) (1993) 345–355
El-Halafawy, F.Z., see **El-Serafi, S.A.** **47** (2) (1993) 219–239
Ellacott, S.W., Techniques for the mathematical analysis of neural networks **50** (1994) 283–297
Elliott, G.H., see **Mason, J.C.** **46** (1-2) (1993) 291–300
El-Serafi, S.A., F.Z. El-Halafawy, M.H. Eissa and **M.M. Kamel,** An MSPT of a parametrically excited cantilever beam **47** (2) (1993) 219–239
El-Tantawy, M.R., see **Mikhail, M.N.** **45** (3) (1993) 283–298
Erdélyi, T., Remez-type inequalities and their applications **47** (2) (1993) 167–209
Ervin, V.J. and **E.P. Stephan,** Collocation with Chebyshev polynomials for a hypersingular integral equation on an interval **43** (1-2) (1992) 221–229
Esser, H., see **Büttgenbach, B.** **44** (3) (1992) 331–337
Evans, W.D., W.N. Everitt, K.H. Kwon and **L.L. Littlejohn,** Real orthogonalizing weights for Bessel polynomials **49** (1993) 51– 57
Evans, W.D., see **Brown, B.M.** **48** (1-2) (1993) 33– 48
Everitt, W.N., L.L. Littlejohn and **S.C. Williams,** Orthogonal polynomials and approximation in Sobolev spaces **48** (1-2) (1993) 69– 90
Everitt, W.N., see **Evans, W.D.** **49** (1993) 51– 57

Fairweather, G., see **Bialecki, B.** **46** (3) (1993) 369–386
Farrell, R.A., see **Stoyanov, B.J.** **50** (1994) 533–543
Fazio, R., Numerical length estimation for tubular flow reactors **41** (3) (1992) 313–321
Fazio, R., Numerical transformation methods: a constructive approach **50** (1994) 299–303
Feistauer, M., J. Felcman, M. Rokyta and **Z. Vlášek,** Finite-element solution of flow problems with trailing conditions **44** (2) (1992) 131–165

Felcman, J., see **Feistauer, M.** **44** (2) (1992) 131–165
Ferreira, J.A. and **P. De Oliveira,** Convergence properties of numerical discretizations and regridding methods **45** (3) (1993) 321–330
Fine, J.M., see **Sharp, P.W.** **42** (3) (1992) 279–291
Fine, J.M., see **Sharp, P.W.** **42** (3) (1992) 293–308
Fischer, B. and **G.H. Golub,** How to generate unknown orthogonal polynomials out of known orthogonal polynomials **43** (1–2) (1992) 99–115
Fischer, H., see **Beck, Th.** **50** (1994) 119–131
Fitzsimons, C.J., F. Liu and **J.J.H. Miller,** A second-order L-stable time discretisation of the semiconductor device equations **42** (2) (1992) 175–186
Floryan, J.M. and **C. Zemach,** Schwarz–Christoffel methods for conformal mapping of regions with a periodic boundary **46** (1–2) (1993) 77–102
Ford, J.A. and **I.A. Moghrabi,** Multi-step quasi-Newton methods for optimization **50** (1994) 305–323
Förster, K.-J., Inequalities for ultraspherical polynomials and application to quadrature **49** (1993) 59– 70
Forsyth, P.A., see **Chin, P.** **46** (3) (1993) 415–426
Frank, R., see **Auzinger, W.** **45** (1–2) (1993) 5– 16
Freund, R.W., Quasi-kernel polynomials and their use in non-Hermitian matrix iterations **43** (1–2) (1992) 135–158
Frontini, M. and **L. Gotusso,** A regularization method for discrete Fourier polynomials **49** (1993) 71– 78
Führer, C., see **Simeon, B.** **50** (1994) 523–532
Funaro, D., Approximation by the Legendre collocation method of a model problem in electrophysiology **43** (1–2) (1992) 261–271

Ganesh, M., A BIE method for a nonlinear BVP **45** (3) (1993) 299–308
Gao, Z. and **L.B. Richmond,** Central and local limit theorems applied to asymptotic enumeration IV: multivariate generating functions **41** (1–2) (1992) 177–186
Gautschi, W., On mean convergence of extended Lagrange interpolation **43** (1–2) (1992) 19– 35
Germano, B., see **Dehesa, J.S.** **50** (1994) 197–206
Gilbert, G.T., see **Oberle, M.K.** **45** (3) (1993) 367–369
Gilewicz, J. and **A.P. Magnus,** Inverse Stieltjes iterates and errors of Padé approximants in the whole complex plane **49** (1993) 79– 84
Giordano, C. and **L.G. Rodonò,** Further monotonicity and convexity properties of the zeros of cylinder functions **42** (2) (1992) 245–251
Gladwell, I. and **M. Paprzycki,** Parallel solution of almost block diagonal systems on the CRAY Y-MP using level 3 BLAS **45** (1–2) (1993) 181–189
Godoy, E., see **Zarzo, A.** **49** (1993) 349–359
Golub, G.H., see **Fischer, B.** **43** (1–2) (1992) 99–115
González-Pinto, S., see **González-Vera, P.** **49** (1993) 85– 91

González-Vera, P., S. González-Pinto and **J.C. Santos-León,** A note on certain generalizations of the midpoint rule **49** (1993) 85– 91
González-Vera, P. and **R. Orive,** Optimization of two-point Padé-type approximants **50** (1994) 325–337
González-Vera, P., see **Bultheel, A.** **48**(1–2) (1993) 49– 68
González-Vera, P., see **Bultheel, A.** **50** (1994) 159–170
Gottlieb, D., C.-W. Shu, A. Solomonoff and **H. Vandeven,** On the Gibbs phenomenon I: recovering exponential accuracy from the Fourier partial sum of a nonperiodic analytic function **43**(1–2) (1992) 81– 98
Gotusso, L., see **Frontini, M.** **49** (1993) 71– 78
Govaerts, W., Solution of bordered singular systems in numerical continuation and bifurcation **50** (1994) 339–347
Graef, J.R. and **P.W. Spikes,** On the oscillation of an *n*th-order nonlinear neutral delay differential equation **41**(1–2) (1992) 35– 40
Gragg, W.B., Positive definite Toeplitz matrices, the Arnoldi process for isometric operators, and Gaussian quadrature on the unit circle **46**(1–2) (1993) 183–198
Gragg, W.B., see **Ammar, G.S.** **46**(1–2) (1993) 211–216
Graham, R., see **Diaconis, P.** **41**(1–2) (1992) 215–235
Grant, J.A. and **A.A. Rahman,** Determination of the zeros of a linear combination of generalised polynomials **42** (2) (1992) 269–278
Graves-Morris, P.R., see **Baker Jr, G.A.** **47** (1) (1993) 67– 81
Graves-Morris, P.R., see **Baker Jr, G.A.** **47** (2) (1993) 241–252
Greenhow, M., A complex variable method for the floating-body boundary-value problem **46**(1–2) (1993) 115–128
Grünbaum, F.A., Three-dimensional scattering and the Heisenberg inequality **42** (1) (1992) 37– 47
Grupp, F., see **Simeon, B.** **50** (1994) 523–532
Guadalupe, J.J., M. Pérez, F.J. Ruiz and **J.L. Varona,** Endpoint weak boundedness of some polynomial expansions **49** (1993) 93–102
Guadalupe, R., see **Torrano, E.** **49** (1993) 263–269

Haas, R. and **H. Brauchli,** Extracting singularities of Cauchy integrals — a key point of a fast solver for plane potential problems with mixed boundary conditions **44** (2) (1992) 167–185
Hadjidimos, A. and **Y.G. Saridakis,** Modified Successive Overrelaxation (MSOR) and equivalent 2-step iterative methods for collocation matrices **42** (3) (1992) 375–393
Hales, T.C., The sphere packing problem **44** (1) (1992) 41– 76
Hara, V., see **Liniger, W.** **44** (2) (1992) 201–218
Hatcher, R.L., see **Oberle, M.K.** **45** (3) (1993) 367–369
He, S. and **S. Ström,** The electromagnetic inverse problem in the time domain for a dissipative slab and a point source using invariant imbedding: Reconstruction of the permittivity and conductivity **42** (1) (1992) 137–155

Hemker, P.W. and **J.-A. Désidéri,** Convergence behaviour of defect correction for hyperbolic equations (*Letter*) **45** (3) (1993) 357–365
Hendriksen, E., see **Bultheel, A.** **48** (1–2) (1993) 49– 68
Hendriksen, E., see **Bultheel, A.** **50** (1994) 159–170
Higham, D.J., The tolerance proportionality of adaptive ODE solvers **45** (1–2) (1993) 227–236
Hoffmann, W., see **Dekker, T.J.** **50** (1994) 221–232
Hooghiemstra, G., see **Bavinck, H.** **49** (1993) 1– 10
Hoppe, W., see **Berthold, D.** **43** (1–2) (1992) 185–219
Hough, D.M., J. Levesley and **S.N. Chandler-Wilde,** Numerical conformal mapping via Chebyshev weighted solutions of Symm's integral equation **46** (1–2) (1993) 29– 48
Howell, L.H., Numerical conformal mapping of circular arc polygons **46** (1–2) (1993) 7– 28
Huang, Z., A note on the Kantorovich theorem for Newton iteration **47** (2) (1993) 211–217

Ifantis, E.K. and **P.D. Siafarikas,** A differential inequality for the positive zeros of Bessel functions **44** (1) (1992) 115–120
Ifantis, E.K. and **P.D. Siafarikas,** On the zeros of a class of polynomials including the generalized Bessel polynomials **49** (1993) 103–109
Isaacson, D., see **Somersalo, E.** **42** (1) (1992) 123–136
Isakov, V., Stability estimates for obstacles in inverse scattering **42** (1) (1992) 79– 88
Iserles, A., A constructive approach to the Schröder equation **46** (1–2) (1993) 301–314
Iserles, A., see **Buhmann, M.D.** **43** (1–2) (1992) 117–134

Jackiewicz, Z., see **Bellen, A.** **45** (1–2) (1993) 121–137
Jaén, J.A., see **Llovet, J.** **49** (1993) 145–152
Jagels, C. and **L. Reichel,** On the construction of Szegő polynomials **46** (1–2) (1993) 241–254
Jayasri, C. and **Y. Sitaraman,** On a Bernstein-type operator of Bleimann, Butzer and Hahn (*Letter*) **47** (2) (1993) 267–272
Jódar, L., Analytical approximate solutions and error bounds for nonsymmetric Riccati matrix differential equations (*Letter*) **41** (3) (1992) 377–383
Jódar, L. and **J.A. Martin Alustiza,** Explicit solution of systems of second-order differential-difference equations **43** (3) (1992) 323–334
Johnston, P.B., see **Butcher, J.C.** **45** (1–2) (1993) 203–212
Jones, D.J., Use of a shooting method to compute eigenvalues of fourth-order two-point boundary value problems (*Letter*) **47** (3) (1993) 395–400
Jones, W.B., W.J. Thron, O. Njåstad and **H. Waadeland,** Szegő polynomials applied to frequency analysis **46** (1–2) (1993) 217–228

Kalla, S.L., see **Steinacker, U.** **44** (1) (1992) 121–130
Kamel, M.M., see **El-Serafi, S.A.** **47** (2) (1993) 219–239
Kascieva, V.A., see **Andreev, A.B.** **43** (3) (1992) 291–311

Kaufman Jr, E.H. and **G.D. Taylor**, Coupled constrained rational approximation (*Letter*) **45** (3) (1993) 343–346
Kędzierawski, A.W., The inverse scattering problem for time-harmonic acoustic waves in an inhomogeneous medium with complex refraction index **47** (1) (1993) 83–100
Kim, S.K. and **A.T. Chronopoulos**, An efficient nonsymmetric Lanczos method on parallel vector computers **42** (3) (1992) 357–374
Kirlinger, G., see **Auzinger, W.** **45**(1–2) (1993) 5– 16
Kirsch, A., see **Xiong, Z.** **42** (1) (1992) 109–121
Kitamura, Y. and **T. Kusano**, Asymptotic analysis of solutions of systems of neutral functional differential equations **41**(1–2) (1992) 23– 33
Kleinman, R.E. and **P.M. Van den Berg**, A modified gradient method for two-dimensional problems in tomography **42** (1) (1992) 17– 35
Klusch, D., The sampling theorem, Dirichlet series and Hankel transforms **44** (3) (1992) 261–273
Knizhnerman, L., see **Druskin, V.** **42** (2) (1992) 221–231
Knizhnerman, L., see **Druskin, V.** **50** (1994) 255–262
Koekoek, R., The search for differential equations for certain sets of orthogonal polynomials **49** (1993) 111–119
Köhler, P., On the error of parameter-dependent compound quadrature formulas **47** (1) (1993) 47– 60
Köhler, P., Intermediate error estimates **50** (1994) 349–360
Koornwinder, T.H., On Zeilberger's algorithm and its q-analogue **48**(1–2) (1993) 91–111
Korman, P., see **Choudury, G.** **41** (3) (1992) 301–311
Krätzig, W.B. and **J.-W. Zhang**, A simple four-node quadrilateral finite element for plates **50** (1994) 361–373
Kress, R. and **A. Zinn**, On the numerical solution of the three-dimensional inverse obstacle scattering problem **42** (1) (1992) 49– 61
Krinik, A., Taylor series solution of the M/M/1 queueing system **44** (3) (1992) 371–380
Kulev, G.K., Uniform asymptotic stability in impulsive perturbed systems of differential equations **41**(1–2) (1992) 49– 55
Kusano, T., see **Kitamura, Y.** **41**(1–2) (1992) 23– 33
Kwon, K.H., see **Evans, W.D.** **49** (1993) 51– 57

Laforgia, A. and **M.L. Mathis**, Additional monotonicity results for the zeros of Bessel functions **47** (1) (1993) 135–139
Lapin, S.V., Identification of time-varying nonlinear systems using Chebyshev polynomials **49** (1993) 121–126
Lardy, L.J., The projection Kantorovich method for eigenvalue problems **50** (1994) 375–384
Layton, W., Optimal difference schemes for 2-D transport problems (*Letter*) **45** (3) (1993) 337–341

Le Ferrand, H., Vector orthogonal polynomials and matrix series **45** (3) (1993) 267–282
Letessier, J., On co-recursive associated Laguerre polynomials **49** (1993) 127–136
Leubner, C., see **Steinacker, U.** **44** (1) (1992) 121–130
Levesley, J., see **Hough, D.M.** **46** (1–2) (1993) 29– 48
Lewanowicz, S., Quick construction of recurrence relations for the Jacobi coefficients **43** (3) (1992) 355–372
Lewanowicz, S., Results on the associated Jacobi and Gegenbauer polynomials **49** (1993) 137–143
Li, H., see **Wong, R.** **41** (1–2) (1992) 65– 94
Li, X., An adaptive method for solving nonsymmetric linear systems involving applications of SCPACK **44** (3) (1992) 351–370
Lima, P.M., Richardson extrapolation in boundary value problems for differential equations with nonregular right-hand side **50** (1994) 385–400
Lin, Q. and **J.G. Rokne,** Circular centered forms for rational functions in several complex variables **41** (3) (1992) 347–357
Lin, Y. and **R.J. Tait,** Finite-difference approximations for a class of nonlocal parabolic boundary value problems **47** (3) (1993) 335–350
Liniger, W., F. Odeh and **V. Hara,** A second-order sparse factorization method for Poisson's equation with mixed boundary conditions **44** (2) (1992) 201–218
Littlejohn, L.L., see **Brown, B.M.** **48** (1–2) (1993) 33– 48
Littlejohn, L.L., see **Evans, W.D.** **49** (1993) 51– 57
Littlejohn, L.L., see **Everitt, W.N.** **48** (1–2) (1993) 69– 90
Liu, F. and **J.J.H. Miller,** Inverse average type tetrahedral finite-element schemes for the stationary semiconductor device equations **44** (1) (1992) 77– 94
Liu, F., see **Fitzsimons, C.J.** **42** (2) (1992) 175–186
Liu, L. and **R.D. Russell,** Linear system solvers for boundary value ODEs **45** (1–2) (1993) 103–117
Llovet, J., R. Martínez and **J.A. Jaén,** Linear recurring sequences for computing the resultant of multivariate polynomials **49** (1993) 145–152
Loccufier, M., see **Noldus, E.** **50** (1994) 425–432
López Lagomasino, G., see **Bustamante, J.** **49** (1993) 19– 25
Lorentzen, L., A note on separate convergence for continued fractions **47** (1) (1993) 123–133
Lowe, B.D., see **Caudill Jr, L.F.** **47** (3) (1993) 323–333
Lubinsky, D.S. and **T. Mthembu,** Mean convergence of Lagrange interpolation for Erdős weights **47** (3) (1993) 369–390
Lubinsky, D.S., see **De Bruin, M.G.** **49** (1993) 37– 43
Lubuma, J.M.-S., Error estimates in projective solutions of the Radon equation **45** (3) (1993) 309–319
Łuczak, T. and **A. Ruciński,** Convex hulls of dense balanced graphs **41** (1–2) (1992) 205–213
Lüttgens, G., see **Büttgenbach, B.** **44** (3) (1992) 331–337
Lynge, W.C., A combined method for polynomial roots using modified Newton–Raphson with minimum searching **42** (3) (1992) 339–355

Maday, Y., see **Bernardi, C.** **43** (1–2) (1992) 53– 80
Magnus, A.P., see **Gilewicz, J.** **49** (1993) 79– 84
Mahmoud, H.M., Distances in random plane-oriented recursive trees **41** (1–2) (1992) 237–245
Maier, R.S., Phase-type distributions and the structure of finite Markov chains **46** (3) (1993) 449–453
Makrelov, I., On a modification of Chebyshev's method (*Letter*) **41** (3) (1992) 373–375
Mantica, G., see **Bessis, D.** **48** (1–2) (1993) 17– 32
Marcellán, F., M. Alfaro and **M.L. Rezola,** Orthogonal polynomials on Sobolev spaces: old and new directions **48** (1–2) (1993) 113–131
Marcellán, F., A. Branquinho and **J. Petronilho,** On inverse problems for orthogonal polynomials, I **49** (1993) 153–160
Marcellán, F. and **G. Sansigre,** Orthogonal polynomials and cubic transformations **49** (1993) 161–168
Maroni, P., Variations around classical orthogonal polynomials. Connected problems **48** (1–2) (1993) 133–155
Martin Alustiza, J.A., see **Jódar, L.** **43** (3) (1992) 323–334
Martínez, R., see **Llovet, J.** **49** (1993) 145–152
Masani, P.R., The measure-theoretic aspects of entropy, Part II **44** (2) (1992) 245–260
Mason, J.C., Chebyshev polynomials of the second, third and fourth kinds in approximation, indefinite integration, and integral transforms **49** (1993) 169–178
Mason, J.C. and **G.H. Elliott,** Near-minimax complex approximation by four kinds of Chebyshev polynomial expansion **46** (1–2) (1993) 291–300
Mastroianni, G., Uniform convergence of derivatives of Lagrange interpolation **43** (1–2) (1992) 37– 51
Mastroianni, G., see **Della Vecchia, B.** **50** (1994) 233–240
Mathis, M.L., see **Laforgia, A.** **47** (1) (1993) 135–139
Matos, A.C., see **Brezinski, C.** **46** (1–2) (1993) 229–239
McCoy, P.A., Near-circularity of the error curve in Chebyshev approximation of solutions to a class of elliptic partial differential equations in the complex plane **46** (1–2) (1993) 315–326
McNamee, J.M., A bibliography on roots of polynomials (*Bibliography 16*) **47** (3) (1993) 391–394
Meijer, H.G., On real and complex zeros of orthogonal polynomials in a discrete Sobolev space **49** (1993) 179–191
Melloy, B.J. and **G.K. Bennett,** Computing the exponential of an intensity matrix **46** (3) (1993) 405–413
Menéndez, M.L., see **Morales, D.** **47** (1) (1993) 1– 10
Meredith, D. and **H. Rasmussen,** Rational approximation schemes for unstable Hele–Shaw flows **42** (2) (1992) 199–214
Micchelli, C.A., Banded matrices with banded inverses **41** (3) (1992) 281–300
Mikhail, M.N. and **M.R. El-Tantawy,** Effect of the medium viscosity on sound propagation and attenuation in ducts **45** (3) (1993) 283–298
Miller, J.J.H., see **Fitzsimons, C.J.** **42** (2) (1992) 175–186

Miller, J.J.H., see **Liu, F.** **44** (1) (1992) 77– 94
Milovanović, G.V., On polynomials orthogonal on the semicircle and applications **49** (1993) 193–199
Mishev, D.P. and **D.D. Bainov,** A necessary and sufficient condition for oscillation of neutral type hyperbolic equations **42** (2) (1992) 215–220
Mitchell, R.A., see **Peart, P.B.** **42** (3) (1992) 309–337
Miyakoda, T., Multiplicity estimating algorithm for zeros of a complex polynomial and its applications **46** (3) (1993) 357–368
Moghrabi, I.A., see **Ford, J.A.** **50** (1994) 305–323
Moiseev, E.I. and **A.P. Prudnikov,** On a complete orthonormal system of special functions **49** (1993) 201–206
Monegato, G., Numerical evaluation of hypersingular integrals **50** (1994) 9– 31
Monk, P., An analysis of Nédélec's method for the spatial discretization of Maxwell's equations **47** (1) (1993) 101–121
Monk, P., see **Colton, D.** **42** (1) (1992) 5– 16
Montijano, J.I., see **Calvo, M.** **45** (1–2) (1993) 29– 39
Morales, D., L. Pardo, M. Salicrú and **M.L. Menéndez,** The λ-divergence and the λ-mutual information: estimation in the stratified sampling **47** (1) (1993) 1– 10
Morandi Cecchi, M. and **M. Redivo Zaglia,** Computing the coefficients of a recurrence formula for numerical integration by moments and modified moments **49** (1993) 207–216
Morgan, A.P., see **Watson, L.T.** **43** (3) (1992) 373–382
Moussiaux, A., CONVODE: a REDUCE package for solving differential equations **48** (1–2) (1993) 157–165
Mthembu, T., see **Lubinsky, D.S.** **47** (3) (1993) 369–390
Muldoon, M.E., Properties of zeros of orthogonal polynomials and related functions **48** (1–2) (1993) 167–186
Mulholland, L.S. and **D.M. Sloan,** The role of preconditioning in the solution of evolutionary partial differential equations by implicit Fourier pseudospectral methods **42** (2) (1992) 157–174
Muñoz Delgado, F.-J. and **V. Ramírez González,** Orthogonal polynomials and conservative approximation **49** (1993) 217–223

Nakao, M.T. and **Y. Watanabe,** On computational proofs of the existence of solutions to nonlinear parabolic problems **50** (1994) 401–410
Nedoma, J., Finite-element analysis of contact problems in thermoelasticity. The semi-coercive case **50** (1994) 411–423
Nessel, R.J., see **Büttgenbach, B.** **44** (3) (1992) 331–337
Nguyen huu Cong, Note on the performance of direct and indirect Runge–Kutta–Nyström methods (*Letter*) **45** (3) (1993) 347–355
Njåstad, O., see **Bultheel, A.** **48** (1–2) (1993) 49– 68
Njåstad, O., see **Bultheel, A.** **50** (1994) 159–170
Njåstad, O., see **Jones, W.B.** **46** (1–2) (1993) 217–228

Noldus, E. and **M. Loccufier**, An application of Liapunov's method for the analysis of neural networks — **50** (1994) 425–432
Noor, K.I., see **Noor, M.A.** — **47** (3) (1993) 285–312
Noor, M.A., K.I. Noor and **Th.M. Rassias**, Some aspects of variational inequalities — **47** (3) (1993) 285–312
Noutsos, D., Optimal stretched parameters for the SOR iterative method — **48** (3) (1993) 293–308

Oberle, M.K., S.L. Scott, G.T. Gilbert, R.L. Hatcher and **D.F. Addis**, Mellin transforms of a generalization of Legendre polynomials (*Letter*) — **45** (3) (1993) 367–369
Odeh, F., see **Liniger, W.** — **44** (2) (1992) 201–218
Odlyzko, A.M., Explicit Tauberian estimates for functions with positive coefficients — **41** (1–2) (1992) 187–197
Okunbor, D.I., Variable step size does not harm second-order integrators for Hamiltonian systems (*Letter*) — **47** (2) (1993) 273–275
Orive, R., see **González-Vera, P.** — **50** (1994) 325–337

Pagès, G., Van der Corput sequences, Kakutani transforms and one-dimensional numerical integration — **44** (1) (1992) 21–39
Palmer, E.M., Matchings in random superpositions of bipartite trees — **41** (1–2) (1992) 199–204
Pan, K., Asymptotics for Szegő polynomials associated with Wiener–Levinson filters — **46** (3) (1993) 387–394
Pan, K., Strong and weak convergence of orthogonal systems of rational functions on the unit circle — **46** (3) (1993) 427–436
Pan, K., On orthogonal systems of rational functions on the unit circle and polynomials orthogonal with respect to varying measures — **47** (3) (1993) 313–322
Papamichael, N. and **E.B. Saff**, Local behaviour of the error in the Bergman kernel method for numerical conformal mapping — **46** (1–2) (1993) 65–75
Papamichael, N. and **N.S. Stylianopoulos**, On the theory and application of a domain decomposition method for computing conformal modules — **50** (1994) 33–50
Paprzycki, M., see **Gladwell, I.** — **45** (1–2) (1993) 181–189
Paquet, L., Precise evaluation of a polynomial at a point given in staggered correction format — **50** (1994) 433–454
Pardo, L., see **Morales, D.** — **47** (1) (1993) 1–10
Paris, R.B., Smoothing of the Stokes phenomenon using Mellin-Barnes integrals — **41** (1–2) (1992) 117–133
Paris, R.B. and **A.D. Wood**, Exponentially-improved asymptotics for the gamma function — **41** (1–2) (1992) 135–143
Paszkowski, S., Evaluation of a *C*-table — **44** (2) (1992) 219–233
Pearce, K., see **Barnard, R.W.** — **46** (1–2) (1993) 271–279

Peart, P.R. and **R.A. Mitchell**, On computing the exact value of dispersion of a sequence **42** (3) (1992) 309–337
Peherstorfer, F., Finite perturbations of orthogonal polynomials **44** (3) (1992) 275–302
Peherstorfer, F., Orthogonal and extremal polynomials on several intervals **48** (1–2) (1993) 187–205
Pemantle, R. and **M.D. Penrose**, On path integrals for the high-dimensional Brownian bridge **44** (3) (1992) 381–390
Penrose, M.D., see **Pemantle, R.** **44** (3) (1992) 381–390
Pérez, M., see **Guadalupe, J.J.** **49** (1993) 93–102
Pérez, T.E. and **M.A. Piñar**, Global properties of zeros for Sobolev-type orthogonal polynomials **49** (1993) 225–232
Petković, M.S., see **Carstensen, C.** **45** (3) (1993) 251–266
Petronilho, J., see **Marcellán, F.** **49** (1993) 153–160
Pettigrew, M.F. and **H. Rasmussen**, Numerical solutions for unstable Hele-Shaw flows **47** (2) (1993) 253–266
Petzold, L.R., see **Ascher, U.M.** **43** (1–2) (1992) 243–259
Pfaltzgraff, J.A., see **DeLillo, T.K.** **46** (1–2) (1993) 103–113
Piessens, R. and **M. Branders**, On the computation of Fourier transforms of singular functions **43** (1–2) (1992) 159–169
Piñar, M.A., see **Pérez, T.E.** **49** (1993) 225–232
Ponnuswamy, S., see **Achuthan, P.** **41** (3) (1992) 247–264
Popenda, J., see **Drozdowicz, A.** **47** (2) (1993) 141–149
Potma, K., see **Dekker, T.J.** **50** (1994) 221–232
Prudnikov, A.P., see **Moiseev, E.I.** **49** (1993) 201–206
Pryce, J.D., Classical and vector Sturm–Liouville problems: recent advances in singular-point analysis and shooting-type algorithms **50** (1994) 455–470

Rabinowitz, P., see **Cools, R.** **48** (3) (1993) 309–326
Rahman, A.A., see **Grant, J.A.** **42** (2) (1992) 269–278
Ramírez González, V., see **Muñoz Delgado, F.-J.** **49** (1993) 217–223
Rández, L., see **Calvo, M.** **45** (1–2) (1993) 29– 39
Raptis, A.D., see **Simos, T.E.** **43** (3) (1992) 313–322
Rasmussen, H., see **Meredith, D.** **42** (2) (1992) 199–214
Rasmussen, H., see **Pettigrew, M.F.** **47** (2) (1993) 253–266
Rassias, Th.M., see **Noor, M.A.** **47** (3) (1993) 285–312
Redivo Zaglia, M., see **Morandi Cecchi, M.** **49** (1993) 207–216
Reichel, L., see **Ammar, G.S.** **46** (1–2) (1993) 211–216
Reichel, L., see **Jagels, C.** **46** (1–2) (1993) 241–254
Rentrop, P., see **Simeon, B.** **50** (1994) 523–532
Rezola, M.L., see **Marcellán, F.** **48** (1–2) (1993) 113–131
Rhandi, A., Dyson–Phillips expansion and unbounded perturbations of linear c_0-semigroups **44** (3) (1992) 339–349
Ricci, P.E., see **Dehesa, J.S.** **50** (1994) 197–206
Richmond, L.B., see **Gao, Z.** **41** (1–2) (1992) 177–186

Riemslagh, K., see **Dick, E.** **50** (1994) 241–254
Robinson, I., see **Cariño, R.** **50** (1994) 171–183
Rodonò, L.G., see **Giordano, C.** **42** (2) (1992) 245–251
Rokne, J.G., see **Lin, Q.** **41** (3) (1992) 347–357
Rokyta, M., see **Feistauer, M.** **44** (2) (1992) 131–165
Ronveaux, A., see **Zarzo, A.** **49** (1993) 349–359
Rorres, C., see **Wimp, J.** **42** (1) (1992) 89–107
Roux, D., see **De Michele, L.** **49** (1993) 45– 50
Rovder, J., Asymptotic and oscillatory behaviour of solutions of a linear differential equation **41** (1–2) (1992) 41– 47
Ruciński, A., see **Łuczak, T.** **41** (1–2) (1992) 205–213
Ruehr, O., see **Bertram, B.** **41** (1–2) (1992) 163–173
Ruiz, F.J., see **Guadalupe, J.J.** **49** (1993) 93–102
Ruotsalainen, K., On the convergence of the collocation method for nonlinear boundary integral equations **50** (1994) 471–483
Russell, R.D., see **Liu, L.** **45** (1–2) (1993) 103–117
Russo, E., see **Crisci, M.R.** **45** (1–2) (1993) 169–180

Sablonnière, P., Discrete Bernstein bases and Hahn polynomials **49** (1993) 233–241
Saff, E.B., see **Papamichael, N.** **46** (1–2) (1993) 65– 75
Salam, A., On a generalization of the ϵ-algorithm **46** (3) (1993) 455–464
Salicrú, M., see **Morales, D.** **47** (1) (1993) 1– 10
Sansigre, G., see **Marcellán, F.** **49** (1993) 161–168
Santos-León, J.C., see **González-Vera, P.** **49** (1993) 85– 91
Saranen, J. and **L. Schroderus**, The modified quadrature method for classical pseudodifferential equations of negative order on smooth closed curves **50** (1994) 485–495
Saridakis, Y.G., see **Hadjidimos, A.** **42** (3) (1992) 375–393
Sastri, K.S., see **Bhatta, S.K.** **45** (3) (1993) 237–250
Scapolla, T., A third-order mixed finite-element method for the numerical solution of the biharmonic problem **50** (1994) 497–507
Schmidt, A.L., Generalized q-Legendre polynomials **49** (1993) 243–249
Schochetman, I.E., see **Cahlon, B.** **47** (3) (1993) 351–367
Schrijner, P., see **Van Doorn, E.A.** **49** (1993) 289–296
Schroderus, L., see **Saranen, J.** **50** (1994) 485–495
Schwandt, H., An interval arithmetic domain decomposition method for a class of elliptic PDEs on nonrectangular domains **50** (1994) 509–521
Scobelev, B.Yu. and **E.V. Vorozhtsov**, Stability analysis of difference schemes by catastrophe theory methods **44** (1) (1992) 1– 20
Scott, S.L., see **Oberle, M.K.** **45** (3) (1993) 367–369
Semnani, S., see **Cash, J.R.** **45** (1–2) (1993) 41– 46
Shampine, L.F., Ill-conditioned matrices and the integration of stiff ODEs **48** (3) (1993) 279–292

Sharp, P.W. and **J.M. Fine**, Some Nyström pairs for the general second-order initial-value problem **42** (3) (1992) 279–291
Sharp, P.W. and **J.M. Fine**, A contrast of direct and transformed Nyström pairs **42** (3) (1992) 293–308
Shillor, M., see **Cahlon, B.** **47** (3) (1993) 351–367
Shu, C.-W., see **Gottlieb, D.** **43** (1–2) (1992) 81– 98
Siafarikas, P.D., see **Ifantis, E.K.** **44** (1) (1992) 115–120
Siafarikas, P.D., see **Ifantis, E.K.** **49** (1993) 103–109
Sideridis, A.B. and **T.E. Simos**, A low-order embedded Runge–Kutta method for periodic initial-value problems **44** (2) (1992) 235–244
Silbermann, B., see **Berthold, D.** **43** (1–2) (1992) 185–219
Silva, H.H.M., see **Cash, J.R.** **45** (1–2) (1993) 91–102
Simeon, B., **F. Grupp**, C. **Führer** and **P. Rentrop**, A nonlinear truck model and its treatment as a multibody system **50** (1994) 523–532
Simos, T.E. and **A.D. Raptis**, A fourth-order Bessel fitting method for the numerical solution of the Schrödinger equation **43** (3) (1992) 313–322
Simos, T.E., see **Sideridis, A.B.** **44** (2) (1992) 235–244
Sitaraman, Y., see **Jayasri, C.** **47** (2) (1993) 267–272
Skrzipek, M.-R., Orthogonal polynomials for modified weight functions **41** (3) (1992) 331–346
Slavyanov, S.Yu., A "differential" derivation of the recurrence relations for the classical orthogonal polynomials **49** (1993) 251–254
Sloan, D.M., see **Mulholland, L.S.** **42** (2) (1992) 157–174
Solomonoff, A., see **Gottlieb, D.** **43** (1–2) (1992) 81– 98
Somersalo, E., **D. Isaacson** and **M. Cheney**, A linearized inverse boundary value problem for Maxwell's equations **42** (1) (1992) 123–136
Sommeijer, B.P., Parallel-iterated Runge–Kutta methods for stiff ordinary differential equations **45** (1–2) (1993) 151–168
Spigler, R. and **M. Vianello**, Liouville–Green approximations for a class of linear oscillatory difference equations of the second order **41** (1–2) (1992) 105–116
Spikes, P.W., see **Graef, J.R.** **41** (1–2) (1992) 35– 40
Spizzichino, F., see **Barlow, R.E.** **46** (3) (1993) 437–447
Starke, G., Fejér–Walsh points for rational functions and their use in the ADI iterative method **46** (1–2) (1993) 129–141
Steinacker, U., **C. Leubner** and **S.L. Kalla**, Uniform asymptotic expansions of a class of Incomplete Cylindrical Functions **44** (1) (1992) 121–130
Stephan, E.P., see **Ervin, V.J.** **43** (1–2) (1992) 221–229
Stoyanov, B.J., **R.A. Farrell** and **J.F. Bird**, Asymptotic expansions of integrals of two Bessel functions via the generalized hypergeometric and Meijer functions **50** (1994) 533–543
Ström, S., see **He, S.** **42** (1) (1992) 137–155
Stylianopoulos, N.S., see **Papamichael, N.** **50** (1994) 33– 50
Stys, T., A finite-difference scheme overconvergent at certain mesh points **42** (2) (1992) 233–243

Szabados, J. and **P. Vértesi,** A survey on mean convergence of interpolatory processes — **43** (1–2) (1992) 3–18
Szafraniec, F.H., A (little) step towards orthogonality of analytic polynomials — **49** (1993) 255–261

Tait, R.J., see **Lin, Y.** — **47** (3) (1993) 335–350
Taylor, G.D., see **Kaufman Jr, E.H.** — **45** (3) (1993) 343–346
Temme, N.M., Asymptotic inversion of the incomplete beta function — **41** (1–2) (1992) 145–157
Thron, W.J., see **Jones, W.B.** — **46** (1–2) (1993) 217–228
Timus, D.M., Some further results on the Hubbell rectangular source integral (*Letter*) — **45** (3) (1993) 331–336
Tonev, O.I., see **Dimov, I.T.** — **48** (3) (1993) 253–277
Torrano, E. and **R. Guadalupe,** On the moment problem in the bounded case — **49** (1993) 263–269
Trench, W.F., Asymptotic behavior of solutions of a linear second-order difference equation — **41** (1–2) (1992) 95–103
Trimèche, K., The Radon transform and its dual associated with partial differential operators and applications to polynomials on the unit disk — **49** (1993) 271–280
Tveito, A., see **Arge, E.** — **44** (3) (1992) 303–329
Twizell, E.H., see **Djidjeli, K.** — **47** (1) (1993) 35–45

Usmani, R.A., The use of quartic splines in the numerical solution of a fourth-order boundary value problem — **44** (2) (1992) 187–199

Valent, G., Orthogonal polynomials for a quartic birth and death process — **49** (1993) 281–288
Van Assche, W., Christoffel functions and Turán determinants on several intervals — **48** (1–2) (1993) 207–223
Van Assche, W. (Editor), Open problems — **48** (1–2) (1993) 225–243
Van Barel, M. and **A. Bultheel,** Discrete linearized least-squares rational approximation on the unit circle — **50** (1994) 545–563
Van Berkel, C.A.M. and **S.J.L. Van Eijndhoven,** Convolution integral equations with Gegenbauer function kernel — **50** (1994) 565–574
Van Daele, M., see **Vanden Berghe, G.** — **41** (3) (1992) 359–372
Van den Berg, P.M., see **Kleinman, R.E.** — **42** (1) (1992) 17–35
Vanden Berghe, G., M. Van Daele and **H. De Meyer,** A five-diagonal finite-difference method based on mixed-type interpolation for computing eigenvalues of fourth-order two-point boundary-value problems — **41** (3) (1992) 359–372
Vanden Berghe, G., see **Bocher, P.** — **50** (1994) 145–158
Van der Houwen, P.J., see **Crisci, M.R.** — **45** (1–2) (1993) 169–180
Van der Vorst, H.A. and **C. Vuik,** The superlinear convergence behaviour of GMRES — **48** (3) (1993) 327–341

Wegmann, R., Extremal problems for harmonic mappings from the unit disc to convex regions **46**(1–2) (1993) 165–181
Williams, S.C., see **Everitt, W.N.** **48**(1–2) (1993) 69– 90
Wimp, J., C. Rorres and **R.F. Wayland Jr,** Acoustic impulse responses for nonuniform media **42** (1) (1992) 89–107
Wolfe, M.A., An interval algorithm for constrained global optimization **50** (1994) 605–612
Wong, R. and **H. Li,** Asymptotic expansions for second-order linear difference equations **41**(1–2) (1992) 65– 94
Wood, A.D., see **Paris, R.B.** **41**(1–2) (1992) 135–143
Wright, K., Parallel treatment of block-bidiagonal matrices in the solution of ordinary differential boundary value problems **45**(1–2) (1993) 191–200

Xiong, Z. and **A. Kirsch,** Three-dimensional earth conductivity inversion **42** (1) (1992) 109–121

Yañez, R.J., see **Dehesa, J.S.** **50** (1994) 197–206
Yang, D.Q., A characteristic mixed method with dynamic finite-element space for convection-dominated diffusion problems **43** (3) (1992) 343–353

Zarzo, A. and **J.S. Dehesa,** Spectral properties of solutions of hypergeometric-type differential equations **50** (1994) 613–623
Zarzo, A., A. Ronveaux and **E. Godoy,** Fourth-order differential equation satisfied by the associated of any order of all classical orthogonal polynomials. A study of their distribution of zeros **49** (1993) 349–359
Zarzo, A., see **Dehesa, J.S.** **50** (1994) 197–206
Zemach, C., see **Floryan, J.M.** **46**(1–2) (1993) 77–102
Ženíšek, A., see **Vanmaele, M.** **50** (1994) 51– 66
Zennaro, M., see **Bellen, A.** **45**(1–2) (1993) 121–137
Zerner, M., see **Baratchart, L.** **46**(1–2) (1993) 255–269
Zhang, J.G., An iterative method of global convergence without derivatives in the class of smooth functions **43** (3) (1992) 273–289
Zhang, J.-W., see **Krätzig, W.B.** **50** (1994) 361–373
Zijl, W., see **Van Veldhuizen, M.** **47** (1) (1993) 61– 66
Zinn, A., see **Kress, R.** **42** (1) (1992) 49– 61